




RB 1




RB 4





RB 2




RB 5



RB 3




PELAN LANTAI




PANDANGAN A

PANDANGAN B




PANDANGAN D


PANDANGAN C




GB 1




GB 4





GB 2




GB 5



GB 3




KERATAN X - X



**BUTIRAN TIANG
DAN ASAS PAD F1**

- BINAAN SILING**
1. 1200mm. x 1200mm. x 6mm. SILING LEMPAK PAPAN SIMEN JENIS UAC SUPERFLEX ATAU SETARA
 2. 100mm. x 50mm. GELEGAR SILING
 3. 50mm. x 50mm. KAYU JARAK


- BINAAN BUMBUNG**
1. BUMBUNG JENIS METAL DECKING GRED 030 DENGAN KEKERUNAN 25°
 2. 75mm. x 50mm. KEKUDA 'C' CHANNEL
 3. 200mm. X 25mm. FASCIA BOARD




KERATAN Q - Q

- BINAAN SILING**
1. 1200mm. x 1200mm. x 6mm. SILING LEMPAK PAPAN SIMEN JENIS UAC SUPERFLEX ATAU SETARA
 2. 100mm. x 50mm. GELEGAR SILING
 3. 50mm. x 50mm. KAYU JARAK


- BINAAN BUMBUNG**
1. BUMBUNG JENIS METAL DECKING GRED 030 DENGAN KEKERUNAN 25°
 2. 75mm. x 50mm. KEKUDA 'C' CHANNEL
 3. 200mm. x 25mm. FASCIA BOARD



KERATAN Q - Q



PELAN RASUK ALANG



PELAN RASUK TINGKAT BAWAH DAN ASAS PAD